

西南交通大学电气工程学院卫生检查成绩（天佑斋4号-2017级男生）

寝室号	检查项目							寝室卫生成绩40分	寝室安全成绩30分	寝室文化成绩30分	总分100
	地面墙壁8分	门窗4分	书桌6分	阳台6分	床6分	垃圾筐4分	洗手间6分				
T041047	5.0	3.0	5.0	4.0	5.0	3.0	4.0	29.0	30.0	27.0	86.0
T041048	7.0	3.0	3.0	5.0	6.0	3.0	5.0	32.0	30.0	27.0	89.0
T041049	7.0	3.0	4.0	5.0	4.0	4.0	5.0	32.0	30.0	28.0	90.0
T041050	7.0	3.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	27.0	91.0
T041052	7.0	3.0	5.0	4.0	6.0	4.0	5.0	34.0	30.0	27.0	91.0
T041053	6.0	3.0	5.0	5.0	6.0	4.0	4.0	33.0	30.0	27.0	90.0
T041054	6.0	3.0	5.0	5.0	5.0	4.0	5.0	33.0	30.0	27.0	90.0
T041055	6.0	3.0	5.0	5.0	5.0	4.0	5.0	33.0	30.0	27.0	90.0
T041056	5.0	3.0	3.0	4.0	3.0	4.0	4.0	26.0	30.0	27.0	83.0
T041057	5.0	3.0	5.0	5.0	4.0	4.0	4.0	30.0	30.0	27.0	87.0
T041058	6.0	3.0	5.0	5.0	5.0	4.0	5.0	33.0	30.0	26.0	89.0
T041059	6.0	3.0	4.0	5.0	2.0	4.0	5.0	29.0	30.0	27.0	86.0
T041060	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	27.0	90.0
T041061	6.0	3.0	4.0	5.0	4.0	3.0	5.0	30.0	30.0	26.0	86.0
T041062	6.0	3.0	5.0	4.0	6.0	4.0	4.0	32.0	30.0	26.0	88.0
T041063	7.0	3.0	5.0	5.0	4.0	3.0	5.0	32.0	30.0	27.0	89.0
T041064	6.0	3.0	6.0	5.0	6.0	4.0	5.0	35.0	30.0	28.0	93.0
T042001	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	27.0	90.0
T042002	7.0	3.0	6.0	5.0	5.0	2.0	5.0	33.0	30.0	27.0	90.0
T042003	7.0	3.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	26.0	90.0
T042004	7.0	3.0	6.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T042005	7.0	3.0	6.0	5.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T042006	7.0	3.0	6.0	5.0	6.0	4.0	4.0	35.0	30.0	26.0	91.0
T042007	7.0	3.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	26.0	90.0
T042008	6.0	3.0	6.0	4.0	6.0	4.0	5.0	34.0	30.0	26.0	90.0
T042009	6.0	3.0	6.0	5.0	6.0	4.0	5.0	35.0	30.0	26.0	91.0
T042010	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	27.0	90.0
T042011	7.0	3.0	5.0	4.0	5.0	4.0	4.0	32.0	30.0	27.0	89.0
T042012	7.0	3.0	5.0	5.0	5.0	4.0	4.0	33.0	30.0	27.0	90.0
T042013	7.0	3.0	5.0	5.0	5.0	4.0	4.0	33.0	30.0	27.0	90.0
T042014	6.0	3.0	5.0	4.0	6.0	4.0	4.0	32.0	30.0	27.0	89.0
T042015	5.0	3.0	4.0	4.0	5.0	3.0	3.0	27.0	30.0	26.0	83.0
T042016	6.0	3.0	5.0	4.0	6.0	4.0	5.0	33.0	30.0	27.0	90.0
T042017	5.0	3.0	5.0	4.0	5.0	4.0	5.0	31.0	30.0	26.0	87.0
T042018	7.0	3.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	27.0	91.0
T042019	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	27.0	90.0
T042020	7.0	3.0	4.0	5.0	6.0	4.0	5.0	34.0	30.0	26.0	90.0
T042021	7.0	3.0	6.0	5.0	6.0	3.0	5.0	35.0	30.0	27.0	92.0
T042022	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	28.0	91.0
T042023	7.0	3.0	5.0	4.0	6.0	4.0	5.0	34.0	30.0	27.0	91.0
T042024	7.0	3.0	5.0	5.0	4.0	4.0	5.0	33.0	30.0	28.0	91.0
T042025	7.0	3.0	5.0	5.0	4.0	3.0	5.0	32.0	30.0	26.0	88.0
T043001	7.0	3.0	5.0	5.0	3.0	2.0	5.0	30.0	30.0	26.0	86.0
T043002	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	27.0	90.0
T043003	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	27.0	90.0
T043004	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	27.0	90.0
T043005	7.0	3.0	4.0	4.0	4.0	3.0	4.0	29.0	30.0	27.0	86.0
T043006	7.0	3.0	5.0	4.0	4.0	3.0	4.0	30.0	30.0	27.0	87.0
T043007	7.0	3.0	4.0	5.0	5.0	3.0	4.0	31.0	30.0	27.0	88.0
T043008	7.0	3.0	5.0	4.0	4.0	3.0	4.0	30.0	30.0	27.0	87.0
T043009	6.0	3.0	5.0	4.0	5.0	3.0	4.0	30.0	30.0	27.0	87.0
T043010	6.0	3.0	5.0	4.0	5.0	3.0	4.0	30.0	30.0	27.0	87.0
T043011	6.0	3.0	4.0	5.0	4.0	3.0	4.0	29.0	30.0	27.0	86.0
T043012	7.0	3.0	4.0	5.0	5.0	3.0	4.0	31.0	30.0	27.0	88.0
T043013	6.0	3.0	4.0	4.0	4.0	3.0	4.0	28.0	30.0	27.0	85.0
T043014	6.0	3.0	4.0	4.0	4.0	3.0	4.0	28.0	30.0	27.0	85.0

寝室号	检查项目							寝室卫生成绩 40分	寝室安全成绩 30分	寝室文化成绩 30分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床 6分	垃圾 筐 4分	洗手 间 6分				
T043015	7.0	3.0	4.0	4.0	4.0	3.0	4.0	29.0	30.0	27.0	86.0
T043016	6.0	3.0	4.0	4.0	4.0	3.0	4.0	28.0	30.0	27.0	85.0
T043017	6.0	3.0	4.0	4.0	3.0	3.0	4.0	27.0	30.0	27.0	84.0
T043018	7.0	3.0	4.0	4.0	3.0	3.0	4.0	28.0	30.0	27.0	85.0
T043019	7.0	3.0	4.0	4.0	5.0	3.0	4.0	30.0	30.0	27.0	87.0
T043020	7.0	3.0	4.0	4.0	4.0	3.0	4.0	29.0	30.0	27.0	86.0
T043021	7.0	3.0	4.0	4.0	4.0	3.0	4.0	29.0	30.0	27.0	86.0
T044001	6.0	3.0	4.0	4.0	4.0	3.0	3.0	27.0	30.0	27.0	84.0
T044002	7.0	3.0	4.0	4.0	4.0	3.0	5.0	30.0	30.0	27.0	87.0
T044003	7.0	3.0	4.0	3.0	4.0	3.0	4.0	28.0	30.0	27.0	85.0
T044004	6.0	3.0	4.0	4.0	4.0	3.0	4.0	28.0	30.0	27.0	85.0
T044005	7.0	3.0	4.0	4.0	4.0	3.0	5.0	30.0	30.0	27.0	87.0
T044006	7.0	3.0	4.0	4.0	4.0	3.0	5.0	30.0	30.0	27.0	87.0
T044007	7.0	3.0	4.0	4.0	4.0	3.0	5.0	30.0	30.0	27.0	87.0
T044008	6.0	3.0	4.0	4.0	4.0	3.0	4.0	28.0	30.0	27.0	85.0
T044009	7.0	3.0	4.0	4.0	4.0	3.0	5.0	30.0	30.0	27.0	87.0
T044010	7.0	3.0	4.0	4.0	4.0	3.0	5.0	30.0	30.0	27.0	87.0
T044011	6.0	3.0	4.0	4.0	5.0	3.0	5.0	30.0	30.0	27.0	87.0
T044012	7.0	3.0	5.0	4.0	5.0	3.0	5.0	32.0	30.0	28.0	90.0
T044013	7.0	3.0	5.0	4.0	4.0	3.0	5.0	31.0	30.0	27.0	88.0
T044014	6.0	3.0	4.0	4.0	4.0	3.0	4.0	28.0	30.0	27.0	85.0
T044015	7.0	3.0	4.0	4.0	4.0	3.0	4.0	29.0	30.0	27.0	86.0
T044016	6.0	3.0	4.0	4.0	4.0	3.0	4.0	28.0	30.0	27.0	85.0
T044017	7.0	3.0	4.0	4.0	4.0	3.0	4.0	29.0	30.0	28.0	87.0
T044018	7.0	3.0	4.0	4.0	4.0	3.0	4.0	29.0	30.0	28.0	87.0
T044019	7.0	3.0	4.0	4.0	4.0	3.0	4.0	29.0	30.0	27.0	86.0
T044020	6.0	3.0	4.0	5.0	4.0	3.0	4.0	29.0	30.0	27.0	85.0
T044021	6.0	3.0	4.0	5.0	4.0	3.0	4.0	29.0	30.0	27.0	85.0
T044022	7.0	4.0	4.0	4.0	4.0	3.0	4.0	30.0	30.0	27.0	86.0
T044023	7.0	4.0	4.0	4.0	4.0	3.0	5.0	31.0	30.0	27.0	84.0

西南交通大学电气工程学院卫生检查成绩（天佑斋1号-2016级男生）

寝室号	检查项目							寝室 卫生 成绩 40分	寝室 安全 成绩 30分	寝室 文化 成绩 30分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床6分	垃圾 筐 4分	洗手 间 6分				
T015002	7.0	3.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	27.0	91.0
T015003	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	27.0	90.0
T015004	7.0	3.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	27.0	91.0
T015005	7.0	4.0	5.0	4.0	5.0	4.0	5.0	34.0	30.0	27.0	91.0
T015006	7.0	3.0	5.0	5.0	4.0	3.0	5.0	32.0	30.0	27.0	89.0
T015007	7.0	3.0	5.0	5.0	4.0	3.0	5.0	32.0	30.0	27.0	89.0
T015008	6.0	3.0	5.0	5.0	4.0	3.0	5.0	31.0	30.0	27.0	88.0
T015009	7.0	3.0	5.0	5.0	4.0	3.0	5.0	32.0	30.0	26.0	88.0
T015010	6.0	3.0	5.0	5.0	4.0	3.0	5.0	31.0	30.0	27.0	88.0
T015011	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	27.0	90.0
T015012	7.0	3.0	5.0	5.0	4.0	3.0	5.0	32.0	30.0	26.0	88.0
T015013	7.0	3.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	27.0	91.0
T015014	6.0	3.0	5.0	5.0	4.0	3.0	5.0	31.0	30.0	27.0	88.0
T015015	6.0	3.0	5.0	5.0	4.0	3.0	5.0	31.0	30.0	27.0	88.0
T015016	6.0	3.0	5.0	5.0	4.0	3.0	4.0	30.0	30.0	26.0	86.0
T015017	6.0	3.0	5.0	4.0	4.0	3.0	5.0	30.0	30.0	26.0	86.0
T015018	6.0	3.0	5.0	5.0	4.0	3.0	5.0	31.0	30.0	27.0	88.0
T015019	7.0	3.0	5.0	5.0	4.0	3.0	5.0	32.0	30.0	26.0	88.0
T015020	7.0	4.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	27.0	92.0
T015021	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	27.0	90.0
T015022	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	27.0	90.0
T015023	7.0	4.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	27.0	92.0
T015024	7.0	3.0	5.0	5.0	4.0	3.0	5.0	32.0	30.0	27.0	89.0
T015025	7.0	3.0	5.0	5.0	4.0	3.0	5.0	32.0	30.0	26.0	88.0
T015026	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	27.0	90.0
T015027	7.0	3.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	26.0	90.0
T015028	7.0	3.0	5.0	5.0	4.0	3.0	5.0	32.0	30.0	27.0	89.0
T015029	7.0	3.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	26.0	90.0
T015030	7.0	3.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	27.0	91.0
T015031	7.0	3.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	26.0	90.0
T015032	6.0	3.0	5.0	5.0	4.0	3.0	5.0	31.0	30.0	26.0	87.0
T015033	7.0	3.0	5.0	5.0	4.0	3.0	5.0	32.0	30.0	26.0	88.0
T015034	7.0	3.0	5.0	5.0	4.0	3.0	5.0	32.0	30.0	27.0	89.0
T015035	6.0	3.0	5.0	5.0	4.0	3.0	5.0	31.0	30.0	26.0	87.0
T015036	7.0	3.0	5.0	5.0	4.0	3.0	5.0	32.0	30.0	26.0	88.0
T015037	7.0	3.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	26.0	90.0
T015038	7.0	3.0	5.0	5.0	4.0	4.0	5.0	33.0	30.0	27.0	90.0
T015039	6.0	3.0	5.0	4.0	4.0	3.0	5.0	30.0	30.0	26.0	86.0
T015040	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	27.0	90.0
T015041	6.0	3.0	5.0	5.0	4.0	3.0	4.0	30.0	30.0	26.0	86.0
T015042	7.0	3.0	5.0	5.0	4.0	4.0	5.0	33.0	30.0	26.0	89.0
T015043	6.0	3.0	5.0	5.0	4.0	3.0	5.0	31.0	30.0	25.0	86.0
T015044	7.0	3.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	27.0	91.0
T015045	7.0	3.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	27.0	91.0
T015046	7.0	3.0	5.0	5.0	4.0	4.0	5.0	33.0	30.0	26.0	89.0
T015047	7.0	3.0	4.0	5.0	5.0	4.0	5.0	33.0	30.0	26.0	89.0
T015048	6.0	3.0	5.0	5.0	5.0	4.0	5.0	33.0	30.0	25.0	88.0
T015049	7.0	3.0	6.0	5.0	5.0	4.0	5.0	35.0	30.0	25.0	90.0
T015050	5.0	3.0	6.0	5.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T015051	6.0	3.0	6.0	5.0	5.0	4.0	5.0	34.0	30.0	26.0	90.0
T015052	6.0	3.0	5.0	4.0	4.0	2.0	4.0	28.0	30.0	25.0	83.0
T015053	7.0	3.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	27.0	91.0
T015054	7.0	3.0	5.0	4.0	4.0	3.0	5.0	31.0	30.0	27.0	88.0
T015055	6.0	3.0	5.0	4.0	5.0	3.0	4.0	30.0	30.0	26.0	86.0
T015056	7.0	3.0	5.0	5.0	4.0	2.0	5.0	31.0	30.0	25.0	86.0
T015057	7.0	3.0	4.0	4.0	5.0	2.0	5.0	30.0	30.0	26.0	86.0

寝室号	检查项目							寝室卫生成绩40分	寝室安全成绩30分	寝室文化成绩30分	总分100
	地面墙壁8分	门窗4分	书桌6分	阳台6分	床6分	垃圾筐4分	洗手间6分				
T015058	5.0	3.0	5.0	5.0	5.0	3.0	5.0	31.0	30.0	25.0	86.0
T015059	6.0	3.0	5.0	4.0	4.0	4.0	5.0	31.0	30.0	26.0	87.0
T015060	5.0	3.0	5.0	3.0	5.0	3.0	4.0	28.0	30.0	26.0	84.0
T015061	7.0	3.0	5.0	4.0	4.0	3.0	5.0	31.0	30.0	27.0	88.0
T015062	7.0	3.0	5.0	4.0	4.0	3.0	4.0	30.0	30.0	27.0	87.0
T015063	5.0	3.0	4.0	4.0	5.0	3.0	4.0	28.0	30.0	26.0	84.0
T015064	6.0	3.0	5.0	5.0	4.0	3.0	5.0	31.0	30.0	26.0	87.0
T015065	6.0	3.0	5.0	4.0	5.0	3.0	4.0	30.0	30.0	26.0	86.0
T015066	7.0	3.0	5.0	4.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T015067	5.0	3.0	5.0	4.0	5.0	3.0	5.0	30.0	30.0	25.0	85.0
T015068	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	27.0	90.0
T015069	7.0	3.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	26.0	90.0
T015070	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T015071	7.0	3.0	5.0	4.0	5.0	4.0	5.0	33.0	30.0	26.0	89.0
T015072	6.0	3.0	5.0	4.0	4.0	3.0	4.0	29.0	30.0	27.0	86.0
T015073	7.0	3.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	27.0	91.0
T015074	7.0	3.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	27.0	91.0
T015075	6.0	3.0	5.0	5.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T015076	7.0	4.0	4.0	4.0	4.0	4.0	4.0	31.0	30.0	28.0	89.0
T015077	6.0	4.0	4.0	3.0	4.0	4.0	3.0	28.0	30.0	27.0	85.0
T015078	6.0	4.0	4.0	4.0	4.0	4.0	3.0	29.0	30.0	27.0	86.0
T015079	7.0	4.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T015080	7.0	4.0	5.0	5.0	5.0	3.0	4.0	33.0	30.0	27.0	90.0
T015081	6.0	4.0	4.0	4.0	4.0	4.0	4.0	30.0	30.0	26.0	86.0
T015082	6.0	4.0	5.0	5.0	4.0	4.0	4.0	32.0	30.0	26.0	88.0
T015083	6.0	4.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	26.0	90.0
T015084	6.0	4.0	4.0	5.0	5.0	4.0	5.0	33.0	30.0	26.0	89.0
T015085	6.0	4.0	4.0	5.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T015086	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T015087	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	27.0	90.0
T015088	6.0	4.0	5.0	4.0	4.0	4.0	4.0	31.0	30.0	27.0	88.0
T015089	6.0	4.0	4.0	4.0	4.0	4.0	4.0	30.0	30.0	26.0	86.0
T015090	6.0	4.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	27.0	91.0
T015091	6.0	4.0	5.0	4.0	4.0	4.0	3.0	30.0	30.0	26.0	86.0
T015092	6.0	4.0	4.0	5.0	5.0	4.0	5.0	33.0	30.0	27.0	90.0
T015093	6.0	4.0	4.0	5.0	4.0	4.0	5.0	32.0	30.0	26.0	88.0
T015094	6.0	4.0	5.0	4.0	4.0	3.0	4.0	30.0	30.0	26.0	86.0
T015095	6.0	4.0	4.0	3.0	3.0	3.0	4.0	27.0	30.0	26.0	83.0
T015096	6.0	4.0	4.0	5.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T015097	6.0	4.0	4.0	4.0	4.0	3.0	4.0	29.0	30.0	27.0	86.0
T015098	6.0	4.0	4.0	4.0	4.0	3.0	5.0	30.0	30.0	27.0	87.0
T015099	6.0	4.0	4.0	3.0	5.0	3.0	3.0	28.0	30.0	27.0	85.0
T015100	6.0	4.0	4.0	4.0	4.0	3.0	4.0	29.0	30.0	26.0	85.0
T015101	6.0	4.0	4.0	3.0	5.0	3.0	4.0	29.0	30.0	27.0	86.0
T015102	6.0	4.0	3.0	4.0	5.0	3.0	4.0	29.0	30.0	27.0	86.0
T015103	6.0	4.0	4.0	5.0	4.0	3.0	4.0	30.0	30.0	26.0	86.0
T015104	6.0	4.0	4.0	4.0	4.0	3.0	4.0	29.0	30.0	26.0	85.0
T015105	6.0	4.0	4.0	4.0	4.0	3.0	4.0	29.0	30.0	26.0	85.0
T015106	6.0	4.0	4.0	4.0	5.0	3.0	5.0	31.0	30.0	27.0	88.0
T015107	6.0	4.0	4.0	4.0	4.0	3.0	4.0	29.0	30.0	27.0	86.0
T015108	6.0	4.0	4.0	4.0	4.0	4.0	4.0	30.0	30.0	26.0	86.0
T016082	6.0	4.0	4.0	4.0	4.0	4.0	4.0	30.0	30.0	27.0	87.0
T016083	6.0	4.0	4.0	4.0	4.0	3.0	4.0	29.0	30.0	26.0	85.0
T016084	6.0	4.0	4.0	4.0	4.0	4.0	4.0	30.0	30.0	26.0	86.0
T016085	6.0	4.0	4.0	4.0	4.0	3.0	4.0	29.0	30.0	26.0	85.0

西南交通大学电气工程学院卫生检查成绩（天佑斋3号-2015级男生）

寝室号	检查项目							寝室卫生成绩40分	寝室安全成绩30分	寝室文化成绩30分	总分100
	地面墙壁8分	门窗4分	书桌6分	阳台6分	床6分	垃圾筐4分	洗手间6分				
T034089	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	29.0	92.0
T034090	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	0.0	29.0	63.0
T034091	6.0	3.0	4.0	4.0	5.0	3.0	5.0	30.0	30.0	25.0	85.0
T034092	6.0	3.0	5.0	5.0	5.0	3.0	5.0	32.0	30.0	25.0	87.0
T034093	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T034094	8.0	4.0	5.0	5.0	5.0	4.0	5.0	36.0	30.0	28.0	94.0
T034095	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	25.0	89.0
T034096	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	27.0	91.0
T034097	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	27.0	91.0
T034098	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	29.0	93.0
T034099	7.0	4.0	4.0	5.0	5.0	3.0	5.0	33.0	30.0	27.0	90.0
T034100	7.0	4.0	4.0	4.0	3.0	4.0	6.0	32.0	0.0	30.0	62.0
T035035	7.0	4.0	6.0	6.0	5.0	3.0	5.0	36.0	30.0	26.0	92.0
T035036	7.0	4.0	5.0	6.0	5.0	4.0	5.0	36.0	30.0	27.0	93.0
T035037	8.0	4.0	5.0	5.0	5.0	3.0	5.0	35.0	30.0	27.0	92.0
T035038	7.0	4.0	4.0	5.0	4.0	4.0	5.0	33.0	30.0	26.0	89.0
T035039	7.0	5.0	5.0	4.0	4.0	3.0	4.0	32.0	30.0	29.0	91.0
T035040	6.0	4.0	4.0	5.0	4.0	3.0	4.0	30.0	30.0	25.0	85.0
T035041	6.0	4.0	4.0	4.0	4.0	4.0	5.0	31.0	30.0	26.0	87.0
T035042	7.0	5.0	5.0	4.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T035043	7.0	5.0	5.0	5.0	5.0	4.0	5.0	36.0	30.0	26.0	92.0
T035044	7.0	5.0	5.0	4.0	5.0	4.0	5.0	35.0	30.0	25.0	90.0
T035045	7.0	4.0	4.0	5.0	4.0	4.0	5.0	33.0	30.0	25.0	88.0
T035046	7.0	4.0	4.0	5.0	5.0	4.0	5.0	34.0	30.0	27.0	91.0
T035047	7.0	4.0	4.0	4.0	5.0	4.0	5.0	33.0	0.0	26.0	59.0
T035048	7.0	4.0	4.0	4.0	4.0	4.0	5.0	32.0	30.0	25.0	87.0
T035049	7.0	5.0	5.0	4.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T035050	7.0	5.0	5.0	4.0	5.0	4.0	5.0	35.0	30.0	25.0	90.0
T035051	7.0	5.0	5.0	4.0	5.0	4.0	5.0	35.0	0.0	27.0	62.0
T035052	7.0	5.0	5.0	4.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T035053	7.0	5.0	5.0	4.0	5.0	4.0	5.0	35.0	30.0	25.0	90.0
T035054	7.0	5.0	5.0	4.0	5.0	3.0	4.0	33.0	30.0	26.0	89.0
T035055	7.0	4.0	4.0	3.0	5.0	4.0	5.0	32.0	0.0	26.0	58.0
T035056	7.0	4.0	4.0	4.0	3.0	4.0	4.0	30.0	30.0	25.0	85.0
T035057	7.0	4.0	4.0	4.0	3.0	4.0	4.0	30.0	30.0	25.0	85.0
T035058	7.0	4.0	4.0	4.0	3.0	4.0	4.0	30.0	0.0	27.0	57.0
T035059	7.0	4.0	4.0	4.0	3.0	4.0	4.0	30.0	30.0	27.0	87.0
T035060	7.0	4.0	4.0	4.0	3.0	4.0	4.0	30.0	30.0	29.0	89.0
T035061	7.0	4.0	4.0	3.0	4.0	4.0	5.0	31.0	30.0	26.0	87.0
T035062	7.0	4.0	4.0	3.0	4.0	4.0	5.0	31.0	30.0	26.0	87.0
T035063	7.0	4.0	4.0	3.0	4.0	4.0	5.0	31.0	30.0	25.0	86.0
T035064	7.0	4.0	4.0	3.0	5.0	4.0	5.0	32.0	30.0	25.0	87.0
T035065	7.0	4.0	4.0	4.0	5.0	4.0	5.0	33.0	30.0	27.0	90.0
T035066	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	27.0	91.0
T035067	5.0	3.0	5.0	5.0	4.0	2.0	5.0	29.0	30.0	26.0	86.0
T035068	4.0	3.0	3.0	4.0	6.0	4.0	5.0	28.0	30.0	26.0	85.0
T035069	4.0	3.0	5.0	4.0	5.0	3.0	5.0	28.0	30.0	26.0	85.0
T035070	6.0	3.0	4.0	4.0	4.0	3.0	5.0	29.0	30.0	26.0	85.0
T035071	5.0	3.0	6.0	5.0	6.0	3.0	5.0	33.0	30.0	26.0	89.0
T035072	6.0	3.0	4.0	4.0	4.0	3.0	5.0	29.0	30.0	26.0	85.0
T035073	4.0	3.0	4.0	4.0	6.0	3.0	4.0	28.0	30.0	28.0	86.0
T035074	5.0	3.0	5.0	5.0	6.0	3.0	4.0	31.0	30.0	28.0	89.0
T035075	6.0	3.0	4.0	4.0	4.0	3.0	5.0	29.0	30.0	26.0	85.0
T035076	6.0	3.0	6.0	5.0	3.0	3.0	5.0	31.0	30.0	27.0	88.0
T035077	6.0	3.0	4.0	5.0	4.0	4.0	4.0	30.0	30.0	26.0	86.0
T035078	6.0	3.0	4.0	4.0	4.0	3.0	5.0	29.0	30.0	26.0	85.0

寝室号	检查项目							寝室卫生成绩40分	寝室安全成绩30分	寝室文化成绩30分	总分100
	地面墙壁8分	门窗4分	书桌6分	阳台6分	床6分	垃圾筐4分	洗手间6分				
T035079	5.0	3.0	4.0	5.0	5.0	4.0	5.0	31.0	30.0	27.0	88.0
T035080	6.0	3.0	5.0	4.0	4.0	4.0	5.0	31.0	30.0	26.0	87.0
T035081	6.0	3.0	4.0	4.0	4.0	3.0	5.0	29.0	30.0	26.0	85.0
T035082	6.0	3.0	4.0	4.0	4.0	3.0	5.0	29.0	30.0	26.0	85.0
T035083	4.0	3.0	6.0	4.0	5.0	2.0	5.0	29.0	30.0	27.0	86.0
T035084	6.0	3.0	4.0	4.0	6.0	3.0	5.0	31.0	30.0	28.0	89.0
T035085	6.0	3.0	5.0	4.0	6.0	3.0	5.0	32.0	30.0	27.0	89.0
T035086	6.0	3.0	4.0	4.0	4.0	3.0	5.0	29.0	30.0	26.0	85.0
T035087	6.0	3.0	4.0	4.0	4.0	3.0	5.0	29.0	30.0	26.0	85.0
T035088	6.0	3.0	5.0	4.0	6.0	2.0	5.0	31.0	30.0	26.0	87.0
T035089	5.0	3.0	4.0	5.0	4.0	2.0	5.0	28.0	30.0	28.0	86.0
T035090	5.0	3.0	5.0	4.0	6.0	2.0	5.0	30.0	30.0	27.0	87.0
T035091	5.0	3.0	4.0	4.0	6.0	3.0	5.0	30.0	30.0	27.0	87.0
T035092	6.0	3.0	5.0	4.0	3.0	4.0	5.0	30.0	30.0	27.0	87.0
T035093	6.0	3.0	4.0	4.0	4.0	3.0	5.0	29.0	30.0	26.0	85.0
T035094	6.0	3.0	4.0	4.0	4.0	3.0	5.0	29.0	30.0	26.0	85.0
T035095	5.0	3.0	4.0	5.0	6.0	3.0	4.0	30.0	30.0	27.0	87.0
T035096	6.0	3.0	4.0	4.0	4.0	3.0	5.0	29.0	30.0	26.0	85.0
T035097	6.0	3.0	4.0	4.0	4.0	3.0	5.0	29.0	30.0	26.0	85.0
T035098	6.0	3.0	5.0	5.0	5.0	4.0	5.0	33.0	30.0	26.0	89.0
T035099	6.0	3.0	6.0	4.0	4.0	3.0	5.0	31.0	30.0	28.0	89.0
T035100	5.0	3.0	4.0	4.0	4.0	4.0	5.0	29.0	30.0	26.0	85.0
T035101	6.0	3.0	4.0	5.0	3.0	3.0	5.0	29.0	30.0	27.0	86.0
T035102	7.0	3.0	6.0	5.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T035103	5.0	3.0	5.0	4.0	5.0	3.0	5.0	30.0	30.0	27.0	87.0
T035104	6.0	3.0	4.0	4.0	4.0	3.0	5.0	29.0	30.0	26.0	85.0
T035105	6.0	3.0	4.0	4.0	4.0	3.0	5.0	29.0	30.0	26.0	85.0
T035106	7.0	3.0	6.0	4.0	3.0	2.0	5.0	30.0	30.0	26.0	86.0
T035107	6.0	3.0	4.0	4.0	4.0	3.0	5.0	29.0	30.0	26.0	85.0
T035108	6.0	3.0	4.0	4.0	4.0	3.0	5.0	29.0	30.0	26.0	85.0

西南交通大学电气工程学院卫生检查成绩（天佑斋19号-2014级男生）

寝室号	检查项目							寝室卫生成绩40分	寝室安全成绩30分	寝室文化成绩30分	总分100
	地面墙壁8分	门窗4分	书桌6分	阳台6分	床6分	垃圾筐4分	洗手间6分				
T191019	6.5	3.0	4.0	5.0	4.0	2.0	3.5	28.0	30.0	25.5	83.5
T191020	7.0	3.5	4.0	5.0	2.5	2.5	4.5	29.0	30.0	26.0	85.0
T191021	6.5	3.0	3.5	4.5	4.0	2.0	4.0	27.5	30.0	26.5	84.0
T191022	6.5	3.0	4.0	4.5	4.5	2.5	4.0	29.0	30.0	27.5	86.5
T191023	6.5	3.0	4.0	5.0	4.0	2.0	3.5	28.0	30.0	25.5	83.5
T191024	7.0	3.0	4.5	5.0	4.5	2.0	4.0	30.0	30.0	27.5	87.5
T191025	7.0	3.0	5.0	4.5	4.0	3.0	4.0	30.5	30.0	26.5	87.0
T191026	7.0	3.0	4.0	5.0	4.5	3.5	5.0	32.0	30.0	26.5	88.5
T191027	7.0	3.0	4.0	5.5	4.0	2.0	5.5	31.0	30.0	26.5	87.5
T191028	7.0	3.0	4.5	4.5	3.0	2.5	5.5	30.0	30.0	27.5	87.5
T191029	7.0	3.0	4.5	4.5	2.5	3.5	5.0	30.0	30.0	26.5	86.5
T191030	7.0	3.0	4.5	4.0	4.0	3.0	4.5	30.0	30.0	28.0	88.0
T191031	7.0	3.0	5.5	5.5	4.5	4.0	5.0	34.5	30.0	27.0	91.5
T191032	7.0	3.0	5.0	5.0	4.5	3.5	4.5	32.5	30.0	26.5	89.0
T191033	7.0	3.0	4.0	4.5	3.5	2.5	4.0	28.5	30.0	26.0	84.5
T191034	7.0	3.0	4.5	0.5	4.5	3.0	4.5	27.0	30.0	26.5	83.5
T191035	7.0	3.0	4.0	3.5	5.0	3.0	3.5	29.0	30.0	26.0	85.0
T191036	6.5	3.0	4.0	5.0	4.0	2.0	3.5	28.0	30.0	25.5	83.5
T191038	7.0	3.0	3.5	4.0	4.0	2.5	4.5	28.5	30.0	27.0	85.5
T191039	7.0	3.0	4.0	4.0	3.0	2.0	4.5	27.5	30.0	27.0	84.5
T191040	7.0	3.0	4.0	4.5	2.5	3.0	3.0	27.0	30.0	28.0	85.0
T191041	7.0	3.0	4.5	4.5	3.5	3.0	4.0	29.5	30.0	28.0	87.5
T191042	7.0	3.0	4.0	4.0	3.5	3.0	3.5	28.0	30.0	26.5	84.5
T191043	7.0	3.0	4.5	4.5	5.5	3.0	4.0	31.5	30.0	27.0	88.5
T191044	7.0	3.0	4.5	4.5	3.5	2.5	4.0	29.0	30.0	26.0	85.0
T191045	7.0	3.0	4.5	4.0	3.5	1.5	4.0	27.5	30.0	26.0	83.5
T191046	7.0	3.0	4.0	4.0	4.0	2.0	3.5	27.5	30.0	27.0	84.5
T191047	7.0	3.0	4.5	4.5	5.0	3.0	5.0	32.0	30.0	27.5	89.5
T191048	7.0	3.0	4.0	4.0	3.5	2.5	4.5	28.5	30.0	26.0	84.5
T191049	7.0	3.0	4.0	4.5	3.5	2.5	4.0	28.5	30.0	26.5	85.0
T191050	6.5	3.0	4.0	5.0	4.0	2.0	3.5	28.0	30.0	25.5	83.5
T191051	7.0	3.0	3.5	4.0	4.5	2.0	4.5	28.5	30.0	26.5	85.0
T191052	7.0	3.0	4.0	5.0	4.0	2.5	5.0	30.5	30.0	27.0	87.5
T191053	7.0	3.0	4.0	4.5	4.0	2.5	4.0	29.0	30.0	26.0	85.0
T191054	7.0	3.0	4.0	4.5	4.5	2.5	4.5	30.0	30.0	27.5	87.5
T191055	7.0	3.0	4.0	4.5	5.0	3.0	4.5	31.0	30.0	27.0	88.0
T191056	7.0	3.0	4.0	4.5	4.5	3.0	4.0	30.0	30.0	27.5	87.5
T191057	7.0	3.0	4.0	4.5	4.0	3.0	3.5	29.0	30.0	26.5	85.5
T191058	6.5	3.0	4.0	5.0	4.0	2.0	3.5	28.0	30.0	25.5	83.5
T191059	7.0	3.0	4.0	5.0	4.0	2.0	4.0	29.0	30.0	26.0	85.0
T191065	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	27.0	90.0
T191066	6.0	3.0	4.0	4.0	4.0	3.0	5.0	29.0	30.0	26.0	85.0
T191067	6.0	3.0	3.0	5.0	4.0	2.0	5.0	28.0	30.0	26.0	84.0
T191068	7.0	3.0	4.0	5.0	4.0	2.0	5.0	30.0	30.0	26.0	86.0
T191069	7.0	3.0	5.0	5.0	4.0	2.0	5.0	31.0	30.0	27.0	88.0
T191070	7.0	3.0	4.0	5.0	4.0	2.0	4.0	29.0	30.0	26.0	85.0
T191072	7.0	3.0	4.0	4.0	4.0	2.0	5.0	29.0	30.0	26.0	85.0
T191073	6.0	3.0	4.0	5.0	4.0	2.0	4.0	28.0	30.0	26.0	84.0
T191074	6.0	3.0	3.0	4.0	4.0	2.0	5.0	27.0	30.0	26.0	83.0
T191075	7.0	3.0	4.0	5.0	4.0	3.0	5.0	31.0	30.0	27.0	88.0
T191076	7.0	3.0	5.0	5.0	4.0	3.0	5.0	32.0	30.0	26.0	88.0
T191077	7.0	3.0	4.0	5.0	4.0	3.0	5.0	31.0	30.0	26.0	87.0
T191078	7.0	3.0	4.0	5.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T191079	7.0	3.0	4.0	5.0	4.0	2.0	5.0	30.0	30.0	27.0	87.0
T191080	6.0	3.0	4.0	5.0	4.0	3.0	5.0	30.0	30.0	26.0	86.0
T191081	7.0	3.0	5.0	5.0	3.0	3.0	5.0	31.0	30.0	26.0	87.0

寝室号	检查项目							寝室 卫生 成绩 40分	寝室 安全 成绩 30分	寝室 文化 成绩 30分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床 6分	垃圾 筐 4分	洗手 间 6分				
T191082	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	28.0	91.0
T191083	7.0	3.0	4.0	5.0	4.0	3.0	5.0	31.0	30.0	28.0	89.0
T191084	6.0	3.0	4.0	4.0	4.0	2.0	5.0	28.0	30.0	27.0	85.0
T191085	6.0	3.0	4.0	4.0	4.0	2.0	5.0	28.0	30.0	27.0	85.0
T191086	6.0	3.0	3.0	5.0	4.0	2.0	5.0	28.0	30.0	27.0	85.0
T191087	7.0	3.0	3.0	4.0	4.0	2.0	4.0	27.0	30.0	26.0	83.0
T192050	6.0	3.0	4.0	5.0	3.0	4.0	5.0	30.0	30.0	26.0	86.0
T192051	6.0	3.0	4.0	5.0	4.0	3.0	5.0	30.0	30.0	26.0	86.0
T192052	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	27.0	90.0
T192053	7.0	3.0	5.0	5.0	5.0	2.0	5.0	32.0	30.0	26.0	88.0
T192054	7.0	3.0	4.0	5.0	3.0	2.0	5.0	29.0	30.0	27.0	86.0
T192055	6.0	3.0	4.0	5.0	4.0	3.0	5.0	30.0	30.0	28.0	88.0
T192056	7.0	3.0	4.0	5.0	3.0	3.0	5.0	30.0	30.0	26.0	86.0
T192057	7.0	3.0	4.0	5.0	3.0	2.0	5.0	29.0	30.0	27.0	86.0
T192058	7.0	3.0	4.0	4.0	4.0	4.0	4.0	30.0	30.0	26.0	86.0
T192059	7.0	3.0	3.0	5.0	4.0	3.0	5.0	30.0	30.0	26.0	86.0
T192060	6.0	3.0	3.0	5.0	4.0	2.0	5.0	28.0	30.0	26.0	84.0
T192061	7.0	3.0	5.0	5.0	4.0	2.0	5.0	31.0	30.0	27.0	88.0
T192062	7.0	3.0	4.0	5.0	4.0	3.0	5.0	31.0	30.0	26.0	87.0
T192063	7.0	3.0	4.0	5.0	3.0	3.0	5.0	30.0	30.0	27.0	87.0
T192064	6.0	3.0	3.0	5.0	3.0	2.0	5.0	27.0	30.0	26.0	83.0