

西南交通大学电气工程学院卫生检查成绩(天佑斋17号)2018级男生

寝室号	检查项目							寝室卫生成绩 40分	寝室安全成绩 30分	寝室文化成绩 30分	总分 100
	地面墙壁8分	门窗4分	书桌6分	阳台6分	床6分	垃圾筐4分	洗手间6分				
T174091	7.0	4.0	5.0	4.0	4.0	3.0	4.0	31.0	30.0	27.0	88.0
T174092	8.0	4.0	6.0	4.5	5.0	2.0	4.8	34.3	30.0	27.8	92.1
T174093	8.0	4.0	6.0	5.5	5.0	4.0	3.8	36.3	30.0	25.8	92.1
T174094	8.0	4.0	6.0	4.5	4.0	3.0	4.8	34.3	30.0	26.8	91.1
T174095	7.0	4.0	5.0	4.5	3.0	3.0	4.8	31.3	30.0	26.8	88.1
T175062	7.0	4.0	5.0	3.5	4.0	2.0	4.8	30.3	30.0	26.8	87.1
T175063	6.0	4.0	5.0	4.5	4.0	2.0	4.8	30.3	30.0	26.8	87.1
T175064	6.0	3.0	5.0	3.5	3.0	2.0	4.8	27.3	30.0	26.8	84.1
T175065	6.0	4.0	5.0	3.5	4.0	3.0	4.8	30.3	30.0	26.8	87.1
T175066	5.0	3.0	5.0	5.5	4.0	3.0	4.8	30.3	30.0	27.8	88.1
T175067	5.0	3.0	5.0	4.5	5.0	3.0	4.8	30.3	30.0	26.8	87.1
T175068	6.0	4.0	5.0	4.5	5.0	3.0	4.8	32.3	30.0	26.8	89.1
T175069	5.0	3.0	6.0	4.5	4.0	3.0	5.8	31.3	30.0	26.8	88.1
T175071	6.0	3.0	6.0	5.5	5.0	3.0	3.8	32.3	30.0	26.8	89.1
T175072	6.0	4.0	5.0	5.5	5.0	2.0	3.8	31.3	30.0	26.8	88.1
T175073	5.0	4.0	5.0	5.5	5.0	3.0	4.8	32.3	30.0	26.8	89.1
T175074	6.0	4.0	5.0	4.5	5.0	3.0	4.8	32.3	30.0	26.8	89.1
T175075	6.0	3.0	5.0	5.5	5.0	3.0	3.8	31.3	30.0	26.8	88.1
T175076	7.0	3.0	5.0	5.5	4.0	3.0	3.8	31.3	30.0	26.8	88.1
T175077	6.0	2.0	5.0	5.5	5.0	3.0	4.8	31.3	30.0	26.8	88.1
T175078	6.0	2.0	5.0	5.5	5.0	4.0	4.8	32.3	30.0	26.8	89.1
T175079	6.0	3.0	5.0	3.5	5.0	3.0	5.8	31.3	30.0	26.8	88.1
T175080	6.0	4.0	5.0	5.5	5.0	3.0	3.8	32.3	30.0	26.8	89.1
T175081	6.0	4.0	5.0	5.5	5.0	3.0	4.8	33.3	30.0	26.8	90.1
T175082	6.0	3.0	5.0	5.5	5.0	3.0	4.8	32.3	30.0	26.8	89.1
T175083	6.0	3.0	5.0	5.5	5.0	3.0	3.8	31.3	30.0	26.8	88.1
T175084	6.0	4.0	5.0	5.5	5.0	3.0	4.8	33.3	30.0	26.8	90.1
T175085	7.0	4.0	5.0	5.5	4.0	3.0	5.8	34.3	30.0	26.8	91.1
T175086	8.0	4.0	5.0	5.5	5.0	3.0	4.8	35.3	30.0	25.8	91.1
T175087	7.0	3.0	5.0	4.5	5.0	3.0	4.8	32.3	30.0	26.8	89.1
T175088	7.0	3.0	5.0	4.5	6.0	3.0	5.8	34.3	30.0	25.8	90.1
T175089	7.0	3.0	6.0	5.5	4.0	3.0	4.8	33.3	30.0	25.8	89.1
T175090	7.0	4.0	4.0	5.5	6.0	2.0	5.8	34.3	30.0	26.8	91.1
T175091	7.0	4.0	5.0	5.5	4.0	3.0	3.8	32.3	30.0	26.8	89.1
T175092	7.0	3.0	5.0	4.5	4.0	3.0	4.8	31.3	30.0	26.8	88.1
T175093	7.0	4.0	6.0	5.5	5.0	3.0	4.8	35.3	30.0	25.8	91.1
T175094	7.0	4.0	5.0	4.5	5.0	2.0	4.8	32.3	30.0	26.8	89.1
T175095	7.0	4.0	5.0	5.5	3.0	3.0	3.8	31.3	30.0	26.8	88.1
T175096	7.0	4.0	5.0	5.5	3.0	2.0	3.8	30.3	30.0	26.8	87.1
T176039	7.0	3.0	4.0	5.5	5.0	2.0	4.8	31.3	30.0	26.8	88.1
T176040	7.0	4.0	5.0	5.5	5.0	3.0	4.8	34.3	30.0	26.8	91.1
T176041	7.0	3.0	5.0	5.5	5.0	4.0	3.8	33.3	30.0	26.8	90.1
T176042	7.0	3.0	5.0	5.5	5.0	3.0	4.8	33.3	30.0	25.8	89.1
T176043	7.0	3.0	5.0	5.5	5.0	3.0	4.8	33.3	30.0	25.8	89.1
T176044	7.0	3.0	5.0	5.5	5.0	3.0	4.8	33.3	30.0	25.8	89.1
T176045	7.0	4.0	6.0	4.0	5.8	3.0	4.0	33.8	30.0	27.0	90.8
T176046	8.0	3.0	5.0	4.0	4.8	3.0	4.0	31.8	30.0	26.6	88.4
T176047	8.0	4.0	6.0	5.0	3.8	3.0	4.0	33.8	30.0	26.6	90.4
T176048	7.0	4.0	5.0	4.0	4.8	3.0	4.0	31.8	30.0	27.0	88.8
T176049	7.0	3.0	5.0	5.0	4.8	3.0	4.0	31.8	30.0	26.6	88.4
T176050	7.0	3.0	5.0	4.0	5.8	3.0	4.0	31.8	30.0	27.0	88.8
T176051	7.0	3.0	6.0	4.0	5.8	3.0	4.0	32.8	30.0	26.6	89.4
T176052	8.0	4.0	6.0	4.0	4.8	3.0	4.0	33.8	30.0	26.6	90.4
T176053	7.0	4.0	5.0	4.0	4.8	3.0	4.0	31.8	30.0	27.0	88.8
T176054	8.0	2.0	6.0	4.0	4.8	3.0	4.0	31.8	30.0	27.0	88.8
T176055	7.0	3.0	6.0	4.0	4.8	3.0	4.0	31.8	30.0	27.0	88.8
T176056	7.0	4.0	5.0	4.0	3.8	3.0	4.0	30.8	30.0	27.0	87.8
T176057	7.0	3.0	5.0	4.0	5.8	3.0	4.0	31.8	30.0	27.0	88.8

西南交通大学电气工程学院卫生检查成绩(天佑斋17号)2018级男生

寝室号	检查项目							寝室卫生成绩 40分	寝室安全成绩 30分	寝室文化成绩 30分	总分 100
	地面墙壁8分	门窗4分	书桌6分	阳台6分	床6分	垃圾筐4分	洗手间6分				
T176058	7.0	3.0	5.0	4.0	5.8	3.0	4.0	31.8	30.0	26.6	88.4
T176059	8.0	3.0	5.0	4.0	4.8	3.0	4.0	31.8	30.0	26.6	88.4
T176060	7.0	3.0	5.0	4.0	4.8	3.0	5.0	31.8	30.0	26.6	88.4
T176061	7.0	3.0	5.0	4.0	5.8	3.0	5.0	32.8	30.0	26.6	89.4
T176062	7.0	3.0	5.0	4.0	4.8	3.0	5.0	31.8	30.0	26.6	88.4
T176063	7.0	3.0	6.0	4.0	4.8	3.0	5.0	32.8	30.0	26.6	89.4
T176065	6.0	3.0	5.0	4.0	5.8	3.0	5.0	31.8	30.0	27.0	88.8
T176066	7.0	3.0	6.0	5.0	4.8	3.0	5.0	33.8	30.0	26.6	90.4
T176067	7.0	3.0	5.0	4.0	4.8	3.0	5.0	31.8	30.0	26.6	88.4
T176068	7.0	4.0	5.0	6.0	3.8	3.0	4.0	32.8	30.0	25.6	88.4
T176069	8.0	4.0	5.0	4.0	4.8	3.0	4.0	32.8	30.0	26.6	89.4
T176070	7.0	3.0	5.0	4.0	4.8	3.0	5.0	31.8	30.0	27.0	88.8
T176071	7.0	4.0	5.0	4.0	3.8	3.0	4.0	30.8	30.0	26.6	87.4
T176072	7.0	3.0	5.0	4.0	5.8	3.0	4.0	31.8	30.0	27.0	88.8
T176073	7.0	3.0	5.0	4.0	5.8	3.0	4.0	31.8	30.0	27.0	88.8
T176074	7.0	3.0	5.0	4.0	5.8	3.0	5.0	32.8	30.0	26.6	89.4
T176075	8.0	3.0	5.0	4.0	5.8	3.0	4.0	32.8	30.0	27.0	89.8
T176076	7.0	3.0	5.0	4.0	5.8	3.0	4.0	31.8	30.0	27.0	88.8
T176077	7.0	4.0	6.0	4.0	4.8	3.0	5.0	33.8	30.0	26.6	90.4
T176078	8.0	3.0	5.0	4.0	5.8	3.0	5.0	33.8	30.0	26.6	90.4
T176079	7.0	2.0	5.0	4.0	5.8	3.0	4.0	30.8	30.0	26.6	87.4
T176080	7.0	2.0	5.0	5.0	4.8	3.0	4.0	30.8	30.0	26.6	87.4
T176081	8.0	3.0	5.0	5.0	5.8	3.0	4.0	33.8	30.0	25.6	89.4
T176082	7.0	4.0	6.0	4.0	5.8	3.0	4.0	33.8	30.0	26.6	90.4
T176083	7.0	2.0	5.0	4.0	5.8	3.0	5.0	31.8	30.0	26.6	88.4
T176084	7.0	3.0	5.0	4.0	4.8	3.0	4.0	30.8	30.0	27.0	87.8
T176085	7.0	3.0	5.0	4.0	5.8	3.0	5.0	32.8	30.0	27.0	89.8
T176086	8.0	3.0	5.0	4.0	4.8	3.0	5.0	32.8	30.0	26.6	89.4
T176087	7.0	3.0	5.0	4.0	4.8	3.0	5.0	31.8	30.0	26.6	88.4
T176088	8.0	2.0	5.0	4.0	4.8	3.0	4.0	30.8	30.0	26.6	87.4
T176089	7.0	3.0	5.0	5.0	4.8	3.0	5.0	32.8	30.0	26.6	89.4

西南交通大学电气工程学院卫生检查成绩（天佑斋4号）2017级男生

寝室号	检查项目							寝室卫生成绩 40分	寝室安全成绩 30分	寝室文化成绩 30分	总分 100
	地面墙壁8分	门窗4分	书桌6分	阳台6分	床6分	垃圾筐4分	洗手间6分				
T041041	7.0	3.0	6.0	5.0	6.0	4.0	5.0	36.0	30.0	26.3	92.3
T041047	7.0	4.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	26.3	91.3
T041048	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.3	89.3
T041049	7.0	3.0	5.0	6.0	5.0	3.0	6.0	35.0	30.0	25.3	90.3
T041050	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	25.3	89.3
T041052	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	25.3	88.3
T041053	7.0	3.0	5.0	6.0	5.0	3.0	5.0	34.0	30.0	26.3	90.3
T041054	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	26.3	90.3
T041055	7.0	3.0	5.0	5.0	5.0	4.0	4.0	33.0	30.0	25.3	88.3
T041056	7.0	3.0	6.0	5.0	5.0	3.0	5.0	34.0	30.0	26.3	90.3
T041058	7.0	4.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	26.3	91.3
T041059	7.0	4.0	6.0	6.0	4.0	3.0	5.0	35.0	30.0	25.3	90.3
T041060	7.0	4.0	6.0	5.0	5.0	3.0	5.0	35.0	30.0	26.3	91.3
T041061	7.0	3.0	5.0	5.0	6.0	3.0	5.0	34.0	30.0	26.3	90.3
T041062	7.0	4.0	6.0	5.0	5.0	3.0	5.0	35.0	30.0	26.3	91.3
T041063	7.0	3.0	6.0	5.0	5.0	3.0	5.0	34.0	30.0	26.3	90.3
T041064	7.0	3.0	5.0	5.0	5.0	4.0	4.0	33.0	30.0	26.3	89.3
T042001	7.0	4.0	6.0	5.0	5.0	4.0	5.0	36.0	30.0	26.3	92.3
T042002	8.0	4.0	5.0	5.0	5.0	4.0	5.0	36.0	30.0	25.3	91.3
T042003	7.0	3.0	5.0	4.0	5.0	3.0	4.0	31.0	30.0	26.3	87.3
T042004	6.0	3.0	5.0	4.0	5.0	3.0	4.0	30.0	30.0	25.3	85.3
T042005	7.0	3.0	5.0	5.0	6.0	4.0	6.0	36.0	30.0	26.3	92.3
T042006	8.0	3.0	6.0	4.0	5.0	4.0	5.0	35.0	30.0	26.3	91.3
T042007	6.0	3.0	6.0	4.0	5.0	4.0	5.0	33.0	30.0	26.3	89.3
T042008	7.0	4.0	6.0	5.0	5.0	4.0	5.0	36.0	30.0	25.3	91.3
T042009	7.0	3.0	6.0	5.0	5.0	4.0	5.0	35.0	30.0	25.3	90.3
T042010	8.0	3.0	6.0	4.0	6.0	3.0	5.0	35.0	30.0	26.3	91.3
T042011	7.0	4.0	6.0	5.0	4.0	4.0	5.0	35.0	30.0	26.3	91.3
T042012	7.0	3.0	6.0	5.0	5.0	4.0	6.0	36.0	30.0	26.3	92.3
T042013	7.0	3.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	26.3	90.3
T042014	7.0	3.0	6.0	4.0	6.0	4.0	4.0	34.0	30.0	26.3	90.3
T042015	7.0	3.0	6.0	4.0	5.0	3.0	5.0	33.0	30.0	26.3	89.3
T042016	7.0	3.0	5.0	4.0	6.0	4.0	5.0	34.0	30.0	26.3	90.3
T042017	7.0	3.0	5.0	5.0	4.0	4.0	5.0	33.0	30.0	26.3	89.3
T042018	7.0	3.0	6.0	5.0	6.0	2.0	5.0	34.0	30.0	26.3	90.3
T042019	7.0	3.0	6.0	5.0	4.0	4.0	5.0	34.0	30.0	26.3	90.3
T042020	7.0	4.0	5.0	6.0	5.0	4.0	5.0	36.0	30.0	26.3	92.3
T042021	7.0	3.0	5.0	6.0	5.0	4.0	6.0	36.0	30.0	26.3	92.3
T042022	7.0	4.0	5.0	6.0	5.0	1.0	5.0	33.0	30.0	26.3	89.3
T042023	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	26.3	90.3
T042024	7.0	3.0	5.0	5.0	4.0	4.0	5.0	33.0	30.0	26.3	89.3
T042025	7.0	3.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	26.3	90.3
T043001	7.0	4.0	5.0	5.0	5.0	3.0	6.0	35.0	30.0	26.3	91.3
T043002	7.0	3.3	5.0	5.5	4.5	3.0	5.0	33.3	30.0	26.0	89.3
T043003	7.0	3.3	5.0	5.5	4.5	3.0	5.0	33.3	30.0	26.0	89.3
T043004	7.0	3.3	4.0	5.5	4.5	3.0	6.0	33.3	30.0	26.0	89.3
T043005	7.0	3.3	5.0	5.5	4.5	3.0	5.0	33.3	30.0	26.0	89.3
T043006	7.0	3.3	4.0	5.5	4.5	3.0	5.0	32.3	30.0	27.0	89.3
T043007	7.0	3.3	5.0	5.5	4.5	3.0	5.0	33.3	30.0	26.0	89.3
T043008	8.0	3.3	5.0	5.5	4.5	2.0	5.0	33.3	30.0	26.0	89.3
T043009	8.0	3.3	5.0	5.5	4.5	3.0	5.0	34.3	30.0	26.0	90.3
T043010	7.0	3.3	4.0	5.5	4.5	3.0	5.0	32.3	30.0	26.0	88.3
T043011	8.0	3.3	5.0	5.5	4.5	3.0	5.0	34.3	30.0	26.0	90.3
T043012	8.0	3.3	5.0	5.5	4.5	3.0	5.0	34.3	30.0	26.0	90.3
T043013	8.0	3.3	5.0	6.0	4.5	3.0	5.0	34.8	30.0	25.0	89.8
T043014	8.0	3.3	6.0	5.5	4.5	3.0	5.0	35.3	30.0	26.0	91.3
T043015	8.0	3.3	6.0	5.5	4.5	3.0	5.0	35.3	30.0	25.0	90.3
T043016	7.0	3.3	5.0	5.5	4.5	3.0	6.0	34.3	30.0	25.0	89.3

西南交通大学电气工程学院卫生检查成绩（天佑斋4号）2017级男生

寝室号	检查项目							寝室卫生成绩 40分	寝室安全成绩 30分	寝室文化成绩 30分	总分 100
	地面墙壁8分	门窗4分	书桌6分	阳台6分	床6分	垃圾筐4分	洗手间6分				
T043017	7.0	3.3	6.0	5.5	4.5	3.0	6.0	35.3	30.0	25.0	90.3
T043018	7.0	3.3	5.0	6.0	5.5	2.0	6.0	34.8	30.0	25.0	89.8
T043019	7.0	3.3	6.0	5.5	5.5	3.0	4.0	34.3	30.0	26.0	90.3
T043020	7.0	3.3	5.0	6.0	5.5	4.0	6.0	36.8	30.0	27.0	93.8
T043021	7.0	3.3	6.0	5.5	6.0	3.0	6.0	36.8	30.0	26.0	92.8
T044001	7.0	3.3	5.0	6.0	5.5	2.0	4.0	32.8	30.0	26.0	88.8
T044002	7.0	3.3	6.0	6.0	4.5	3.0	5.0	34.8	30.0	26.0	90.8
T044003	6.0	3.3	5.0	6.0	5.5	4.0	5.0	34.8	30.0	26.0	90.8
T044004	8.0	3.3	4.0	6.0	4.5	3.0	4.0	32.8	30.0	26.0	88.8
T044005	8.0	3.3	5.0	6.0	5.5	3.0	5.0	35.8	30.0	26.0	91.8
T044006	8.0	3.3	6.0	5.5	4.5	3.0	5.0	35.3	30.0	26.0	91.3
T044007	8.0	3.3	5.0	5.5	5.5	3.0	5.0	35.3	30.0	26.0	91.3
T044008	7.0	3.3	6.0	5.5	4.5	3.0	6.0	35.3	30.0	26.0	91.3
T044009	8.0	3.3	5.0	6.0	5.5	3.0	6.0	36.8	30.0	26.0	92.8
T044010	8.0	3.3	6.0	6.0	4.5	3.0	6.0	36.8	30.0	26.0	92.8
T044011	8.0	3.3	6.0	5.5	4.5	4.0	4.0	35.3	30.0	26.0	91.3
T044012	7.0	3.3	5.0	5.5	5.5	2.0	4.0	32.3	30.0	26.0	88.3
T044013	7.0	3.3	5.0	5.5	4.5	4.0	4.0	33.3	30.0	26.0	89.3
T044014	8.0	3.3	4.0	5.5	5.5	4.0	4.0	34.3	30.0	27.0	91.3
T044015	7.0	3.3	6.0	5.5	5.5	3.0	4.0	34.3	30.0	26.0	90.3
T044016	8.0	3.3	6.0	5.5	4.5	3.0	5.0	35.3	30.0	26.0	91.3
T044017	7.0	3.3	6.0	5.5	5.5	2.0	4.0	33.3	30.0	26.0	89.3
T044018	8.0	3.3	6.0	5.5	5.5	2.0	4.0	34.3	30.0	27.0	91.3
T044019	7.0	3.3	4.0	5.5	6.0	2.0	4.0	31.8	30.0	26.0	87.8
T044020	8.0	3.3	5.0	5.5	6.0	2.0	5.0	34.8	30.0	26.0	90.8
T044021	7.0	3.3	6.0	5.5	6.0	2.0	4.0	33.8	30.0	26.0	89.8
T044022	8.0	3.3	4.0	5.5	6.0	2.0	4.0	32.8	30.0	26.0	88.8
T044023	7.0	3.3	5.0	5.5	5.5	2.0	5.0	33.3	30.0	27.0	90.3

西南交通大学电气工程学院卫生检查成绩（天佑斋1号）2016级男生

寝室号	检查项目							寝室卫生成绩 40分	寝室安全成绩 30分	寝室文化成绩 30分	总分 100
	地面墙壁8分	门窗4分	书桌6分	阳台6分	床6分	垃圾筐4分	洗手间6分				
T015002	7.0	4.0	5.5	5.0	5.0	4.0	6.0	36.5	30.0	26.0	92.5
T015003	8.0	4.0	5.5	5.0	4.0	4.0	6.0	36.5	30.0	26.0	92.5
T015004	7.0	4.0	4.5	6.0	4.0	2.0	5.0	32.5	30.0	26.0	88.5
T015005	7.0	4.0	6.0	5.0	5.0	3.0	6.0	36.0	30.0	26.0	92.0
T015006	7.0	4.0	4.5	5.0	4.0	3.0	6.0	33.5	30.0	26.0	89.5
T015007	7.0	4.0	5.0	5.0	4.0	4.0	6.0	35.0	30.0	26.0	91.0
T015008	7.0	4.0	4.0	5.0	4.0	4.0	6.0	34.0	30.0	26.0	90.0
T015009	8.0	4.0	5.5	6.0	4.0	4.0	6.0	37.5	30.0	26.0	93.5
T015010	8.0	4.0	6.0	6.0	3.0	3.0	6.0	36.0	30.0	26.0	92.0
T015011	7.0	4.0	6.0	5.0	4.0	4.0	6.0	36.0	30.0	26.0	92.0
T015012	7.0	4.0	4.5	5.0	4.0	3.0	4.0	31.5	30.0	26.0	87.5
T015013	8.0	4.0	5.5	5.0	3.0	3.0	6.0	34.5	30.0	26.0	90.5
T015014	8.0	4.0	5.0	5.0	4.0	3.0	6.0	35.0	30.0	26.0	91.0
T015015	8.0	4.0	6.0	5.0	3.0	3.0	5.0	34.0	30.0	26.0	90.0
T015016	8.0	4.0	5.5	6.0	4.0	1.0	5.0	33.5	30.0	26.0	89.5
T015017	7.0	4.0	5.0	6.0	2.0	3.0	4.0	31.0	30.0	26.0	87.0
T015018	8.0	4.0	5.0	5.0	3.0	3.0	6.0	34.0	30.0	26.0	90.0
T015019	8.0	4.0	5.0	5.0	3.0	4.0	6.0	35.0	30.0	26.0	91.0
T015020	7.0	4.0	5.5	5.0	3.0	4.0	6.0	34.5	30.0	26.0	90.5
T015021	8.0	4.0	4.5	5.0	5.0	4.0	6.0	36.5	30.0	26.0	92.5
T015022	7.0	4.0	5.0	5.0	4.0	3.0	4.0	32.0	30.0	26.0	88.0
T015023	7.0	4.0	5.0	5.0	4.0	2.0	6.0	33.0	30.0	26.0	89.0
T015024	8.0	4.0	5.0	5.0	3.0	4.0	6.0	35.0	30.0	26.0	91.0
T015025	6.0	4.0	3.5	5.0	5.0	4.0	6.0	33.5	30.0	26.0	89.5
T015026	8.0	4.0	5.0	5.0	4.0	4.0	6.0	36.0	30.0	26.0	92.0
T015027	8.0	4.0	4.5	5.0	4.0	3.0	6.0	34.5	30.0	26.0	90.5
T015028	7.0	4.0	3.0	6.0	4.0	4.0	5.0	33.0	30.0	26.0	89.0
T015029	7.0	4.0	5.0	6.0	4.0	4.0	5.0	35.0	30.0	26.0	91.0
T015030	7.0	4.0	4.0	5.0	4.0	4.0	5.0	33.0	30.0	26.0	89.0
T015031	8.0	4.0	5.5	6.0	3.0	4.0	5.0	35.5	30.0	26.0	91.5
T015032	8.0	4.0	5.0	5.0	3.0	4.0	5.0	34.0	30.0	26.0	90.0
T015033	8.0	4.0	6.0	5.0	3.0	4.0	6.0	36.0	30.0	26.0	92.0
T015034	7.0	4.0	6.0	5.0	4.0	4.0	5.0	35.0	30.0	26.0	91.0
T015035	8.0	4.0	6.0	6.0	3.0	4.0	6.0	37.0	30.0	26.0	93.0
T015036	8.0	4.0	5.5	6.0	3.0	4.0	6.0	36.5	30.0	26.0	92.5
T015037	8.0	4.0	6.0	5.0	5.0	4.0	5.0	37.0	30.0	26.0	93.0
T015038	7.0	4.0	5.5	6.0	4.0	4.0	6.0	36.5	30.0	26.0	92.5
T015039	8.0	4.0	6.0	5.0	5.0	4.0	4.5	36.5	30.0	26.0	92.5
T015040	7.0	4.0	6.0	5.0	5.0	4.0	5.0	36.0	30.0	25.0	91.0
T015041	6.0	4.0	6.0	5.0	5.0	3.0	5.5	34.5	30.0	25.0	89.5
T015042	7.0	4.0	6.0	5.0	6.0	3.0	5.0	36.0	30.0	25.0	91.0
T015043	7.0	4.0	5.0	6.0	5.0	3.0	5.0	35.0	30.0	27.0	92.0
T015044	7.0	4.0	5.0	5.0	5.0	4.0	5.5	35.5	30.0	25.0	90.5
T015045	7.0	4.0	6.0	5.0	6.0	3.0	4.0	35.0	30.0	26.0	91.0
T015046	6.0	4.0	6.0	5.0	4.0	3.0	5.5	33.5	30.0	25.0	88.5
T015047	7.0	4.0	5.0	4.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T015048	7.0	4.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	25.0	90.0
T015049	7.0	4.0	6.0	5.0	5.0	4.0	4.0	35.0	30.0	25.0	90.0
T015050	7.0	4.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T015051	6.0	4.0	6.0	5.0	4.0	3.0	5.5	33.5	30.0	25.0	88.5
T015052	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	25.0	89.0
T015053	7.0	3.0	6.0	6.0	6.0	3.0	4.0	35.0	30.0	26.0	91.0
T015054	7.0	4.0	6.0	5.0	6.0	3.0	4.5	35.5	30.0	25.0	90.5
T015055	7.0	4.0	6.0	5.0	5.0	3.0	5.0	35.0	30.0	26.0	91.0
T015056	7.0	4.0	6.0	5.0	5.0	3.0	5.0	35.0	30.0	26.0	91.0
T015057	7.0	4.0	6.0	4.0	5.0	3.0	6.0	35.0	30.0	25.0	90.0
T015058	7.0	4.0	6.0	4.0	5.0	3.0	4.0	33.0	30.0	26.0	89.0
T015059	7.0	3.0	6.0	5.0	5.0	3.0	4.5	33.5	30.0	26.0	89.5

西南交通大学电气工程学院卫生检查成绩（天佑斋1号）2016级男生

寝室号	检查项目							寝室卫生成绩 40分	寝室安全成绩 30分	寝室文化成绩 30分	总分 100
	地面墙壁8分	门窗4分	书桌6分	阳台6分	床6分	垃圾筐4分	洗手间6分				
T015060	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T015061	7.0	4.0	6.0	5.0	4.0	4.0	4.0	34.0	30.0	25.0	89.0
T015062	7.0	4.0	6.0	5.0	5.0	4.0	4.0	35.0	30.0	26.0	91.0
T015063	7.0	4.0	6.0	5.0	5.0	3.0	4.0	34.0	30.0	25.0	89.0
T015064	7.0	4.0	5.0	5.0	5.0	4.0	3.0	33.0	30.0	26.0	89.0
T015065	7.0	4.0	6.0	5.0	5.0	3.0	4.5	34.5	30.0	26.0	90.5
T015066	7.0	4.0	6.0	5.0	5.0	4.0	4.0	35.0	30.0	25.0	90.0
T015067	7.0	4.0	6.0	6.0	6.0	4.0	4.0	37.0	30.0	25.0	92.0
T015068	7.0	4.0	5.0	5.0	6.0	3.0	4.0	34.0	30.0	25.0	89.0
T015069	7.0	4.0	6.0	5.0	5.0	4.0	5.0	36.0	30.0	25.0	91.0
T015070	6.0	4.0	5.0	5.0	5.0	4.0	4.5	33.5	30.0	26.0	89.5
T015071	7.0	3.0	6.0	5.0	5.0	4.0	6.0	36.0	30.0	25.0	91.0
T015072	7.0	4.0	6.0	4.0	5.0	4.0	4.0	34.0	30.0	27.0	91.0
T015073	7.0	4.0	5.0	6.0	5.0	4.0	4.5	35.5	30.0	26.0	91.5
T015074	7.0	4.0	6.0	5.0	5.0	4.0	4.5	35.5	30.0	26.0	91.5
T015075	7.0	4.0	6.0	6.0	5.0	4.0	6.0	38.0	30.0	27.0	95.0
T015076	8.0	4.0	6.0	5.0	5.5	4.0	6.0	38.5	30.0	27.0	95.5
T015077	8.0	4.0	5.5	4.0	5.0	4.0	4.5	35.0	30.0	26.0	91.0
T015078	7.0	4.0	4.5	3.0	4.0	2.0	4.0	28.5	30.0	26.0	84.5
T015079	7.5	4.0	5.0	4.5	4.0	4.0	6.0	35.0	30.0	26.5	91.5
T015080	8.0	4.0	5.5	5.0	6.0	4.0	5.0	37.5	30.0	26.5	94.0
T015081	8.0	4.0	5.5	5.0	4.0	4.0	5.0	35.5	30.0	26.5	92.0
T015082	7.5	4.0	4.5	5.0	4.0	4.0	6.0	35.0	30.0	26.5	91.5
T015083	7.5	4.0	6.0	6.0	6.0	4.0	6.0	39.5	30.0	26.5	96.0
T015084	7.5	4.0	5.0	5.0	5.0	3.0	5.0	34.5	30.0	26.5	91.0
T015085	8.0	4.0	5.5	6.0	6.0	4.0	6.0	39.5	30.0	26.5	96.0
T015086	7.5	4.0	5.0	5.0	6.0	4.0	5.0	36.5	30.0	26.5	93.0
T015087	8.0	4.0	6.0	5.0	5.5	4.0	5.0	37.5	30.0	27.0	94.5
T015088	8.0	4.0	5.5	5.0	2.0	4.0	5.0	33.5	30.0	26.5	90.0
T015089	7.5	4.0	4.0	4.0	3.0	4.0	5.0	31.5	30.0	27.0	88.5
T015090	8.0	4.0	5.5	5.0	6.0	4.0	6.0	38.5	30.0	27.0	95.5
T015091	7.5	4.0	5.0	4.0	4.0	9.0	5.0	38.5	30.0	26.5	95.0
T015092	8.0	4.0	5.5	5.0	6.0	4.0	5.5	38.0	30.0	27.0	95.0
T015093	7.5	4.0	5.5	5.0	3.0	4.0	5.0	34.0	30.0	26.5	90.5
T015094	8.0	4.0	5.5	5.0	4.0	4.0	5.0	35.5	30.0	27.0	92.5
T015095	7.0	4.0	5.0	4.5	2.0	0.0	6.0	28.5	30.0	26.0	84.5
T015096	7.5	4.0	5.0	5.0	2.0	4.0	6.0	33.5	30.0	26.5	90.0
T015097	7.5	4.0	5.0	5.0	4.5	4.0	5.0	35.0	30.0	26.5	91.5
T015098	7.5	4.0	5.0	4.0	2.0	4.0	6.0	32.5	30.0	26.5	89.0
T015099	6.5	4.0	5.0	4.0	2.5	1.0	4.5	27.5	30.0	26.5	84.0
T015100	7.5	4.0	4.0	4.0	3.0	3.0	6.0	31.5	30.0	26.5	88.0
T015101	7.5	4.0	5.0	4.0	5.0	2.0	5.0	32.5	30.0	26.5	89.0
T015102	7.0	4.0	5.0	4.0	3.5	4.0	5.0	32.5	30.0	26.5	89.0
T015103	7.5	4.0	5.5	5.0	5.0	4.0	5.5	36.5	30.0	26.5	93.0
T015104	7.5	4.0	5.5	5.0	3.5	3.0	6.0	34.5	30.0	25.5	90.0
T015105	8.0	4.0	6.0	4.0	5.5	4.0	5.0	36.5	30.0	26.5	93.0
T015106	7.5	4.0	5.5	5.0	4.5	4.0	6.0	36.5	30.0	25.5	92.0
T015107	7.0	4.0	5.0	5.0	5.5	4.0	5.0	35.5	30.0	26.0	91.5
T015108	6.5	4.0	4.0	3.0	5.5	3.0	4.5	30.5	30.0	0.0	60.5
T016082	7.5	4.0	5.0	4.0	4.5	1.0	6.0	32.0	30.0	26.0	88.0
T016083	7.0	4.0	5.5	5.0	5.5	4.0	5.5	36.5	30.0	25.5	92.0
T016084	7.0	4.0	5.5	4.0	5.0	1.0	5.5	32.0	30.0	25.5	87.5
T016085	6.5	4.0	4.5	4.0	4.5	4.0	5.0	32.5	30.0	25.0	87.5

西南交通大学电气工程学院卫生检查成绩（天佑斋3号）2015级男生

寝室号	检查项目							寝室卫生成绩 40分	寝室安全成绩 30分	寝室文化成绩 30分	总分 100
	地面墙壁8分	门窗4分	书桌6分	阳台6分	床6分	垃圾筐4分	洗手间6分				
T034089	5.7	3.0	4.0	5.0	5.0	3.0	4.0	29.7	30.0	26.0	85.7
T034090	6.7	3.0	5.0	5.0	5.0	3.0	5.0	32.7	30.0	26.0	88.7
T034091	6.7	3.0	5.0	5.0	5.0	4.0	5.0	33.7	30.0	26.0	89.7
T034092	6.7	3.0	5.0	5.0	5.0	3.0	4.0	31.7	30.0	27.0	88.7
T034093	6.7	4.0	5.0	5.0	5.0	3.0	5.0	33.7	30.0	27.0	90.7
T034094	6.7	4.0	5.0	5.0	5.0	4.0	5.0	34.7	30.0	27.0	91.7
T034095	6.7	4.0	5.0	6.0	5.0	4.0	5.0	35.7	30.0	26.0	91.7
T034096	7.7	4.0	5.0	5.0	5.0	3.0	5.0	34.7	30.0	27.0	91.7
T034097	6.7	3.0	5.0	5.0	5.0	3.0	5.0	32.7	30.0	26.0	88.7
T034098	6.7	4.0	5.0	5.0	5.0	4.0	5.0	34.7	30.0	27.0	91.7
T034099	6.7	3.0	5.0	5.0	5.0	3.0	5.0	32.7	30.0	26.0	88.7
T034100	5.7	3.0	4.0	5.0	5.0	3.0	4.0	29.7	30.0	26.0	85.7
T035035	5.7	4.0	5.0	5.0	5.0	3.0	6.0	33.7	30.0	26.0	89.7
T035036	5.7	4.0	5.0	5.0	4.0	4.0	6.0	33.7	30.0	27.0	90.7
T035037	5.7	3.0	5.0	5.0	5.0	3.0	5.0	31.7	30.0	26.0	87.7
T035038	6.7	4.0	5.0	5.0	5.0	4.0	5.0	34.7	30.0	26.0	90.7
T035039	6.7	3.0	5.0	5.0	4.0	4.0	6.0	33.7	30.0	27.0	90.7
T035040	5.7	4.0	5.0	5.0	4.0	4.0	5.0	32.7	30.0	26.0	88.7
T035041	5.7	4.0	5.0	5.0	5.0	3.0	5.0	32.7	30.0	26.0	88.7
T035042	5.7	3.0	5.0	5.0	5.0	4.0	5.0	32.7	30.0	26.0	88.7
T035043	5.7	3.0	5.0	5.0	5.0	3.0	5.0	31.7	30.0	27.0	88.7
T035044	5.7	4.0	6.0	5.0	5.0	4.0	5.0	34.7	30.0	26.0	90.7
T035045	6.7	3.0	5.0	5.0	5.0	4.0	5.0	33.7	30.0	26.0	89.7
T035046	5.7	3.0	5.0	6.0	5.0	3.0	5.0	32.7	30.0	26.0	88.7
T035047	6.7	4.0	5.0	5.0	5.0	3.0	5.0	33.7	30.0	27.0	90.7
T035048	6.7	4.0	5.0	5.0	5.0	3.0	5.0	33.7	30.0	27.0	90.7
T035049	5.7	4.0	5.0	5.0	5.0	4.0	6.0	34.7	30.0	26.0	90.7
T035050	6.7	4.0	5.0	5.0	5.0	3.0	5.0	33.7	30.0	27.0	90.7
T035051	6.7	4.0	6.0	5.0	5.0	4.0	6.0	36.7	30.0	27.0	93.7
T035052	5.7	4.0	5.0	5.0	5.0	4.0	5.0	33.7	30.0	26.0	89.7
T035053	6.7	4.0	5.0	5.0	5.0	3.0	5.0	33.7	30.0	27.0	90.7
T035054	6.7	4.0	5.0	5.0	5.0	3.0	5.0	33.7	30.0	27.0	90.7
T035055	6.7	4.0	5.0	5.0	5.0	4.0	5.0	34.7	30.0	26.0	90.7
T035056	6.7	4.0	5.0	5.0	5.0	4.0	5.0	34.7	30.0	26.0	90.7
T035057	5.7	4.0	5.0	5.0	5.0	3.0	5.0	32.7	30.0	27.0	89.7
T035058	6.7	4.0	5.0	5.0	5.0	4.0	5.0	34.7	30.0	26.0	90.7
T035059	6.7	4.0	5.0	5.0	6.0	3.0	5.0	34.7	30.0	27.0	91.7
T035060	6.7	3.0	5.0	5.0	5.0	4.0	5.0	33.7	30.0	27.0	90.7
T035061	6.7	4.0	5.0	5.0	5.0	4.0	5.0	34.7	30.0	26.0	90.7
T035062	6.7	4.0	5.0	5.0	5.0	4.0	5.0	34.7	30.0	26.0	90.7
T035063	6.7	4.0	5.0	5.0	5.0	4.0	5.0	34.7	30.0	27.0	91.7
T035064	6.7	4.0	6.0	6.0	5.0	4.0	5.0	36.7	30.0	27.0	93.7
T035065	6.7	3.0	5.0	5.0	3.0	4.0	5.0	31.7	30.0	27.0	88.7
T035066	6.7	4.0	5.0	5.0	5.0	4.0	4.0	33.7	30.0	28.0	91.7
T035067	7.0	4.0	5.0	6.0	4.5	3.0	4.0	33.5	30.0	26.5	90.0
T035068	7.0	3.0	4.0	5.0	4.5	3.0	5.0	31.5	30.0	26.5	88.0
T035069	7.0	4.0	4.0	4.0	4.5	2.0	5.0	30.5	30.0	26.5	87.0
T035070	7.0	4.0	4.0	4.0	4.5	3.0	4.0	30.5	30.0	26.5	87.0
T035071	6.0	3.0	4.0	5.0	4.5	1.0	5.0	28.5	30.0	25.5	84.0
T035072	7.0	4.0	5.0	5.0	4.5	4.0	4.0	33.5	30.0	26.5	90.0
T035073	7.0	4.0	5.0	5.0	4.5	3.0	6.0	34.5	30.0	26.5	91.0
T035074	8.0	4.0	5.0	5.0	5.5	3.0	5.0	35.5	30.0	26.5	92.0
T035075	8.0	4.0	5.0	5.0	4.5	3.0	5.0	34.5	30.0	26.5	91.0
T035076	8.0	4.0	6.0	5.0	4.5	3.0	5.0	35.5	30.0	27.5	93.0
T035077	8.0	4.0	5.0	4.0	5.5	4.0	5.0	35.5	30.0	26.5	92.0
T035078	7.0	4.0	5.0	4.0	4.5	3.0	4.0	31.5	30.0	26.5	88.0
T035079	7.0	4.0	5.0	5.0	4.5	4.0	5.0	34.5	30.0	25.5	90.0
T035080	7.0	4.0	6.0	5.0	4.5	4.0	6.0	36.5	30.0	26.5	93.0

西南交通大学电气工程学院卫生检查成绩（天佑斋3号）2015级男生

寝室号	检查项目							寝室卫 生成绩 40分	寝室安 全成绩 30分	寝室文 化成绩 30分	总分 100
	地面墙壁8 分	门窗4分	书桌6分	阳台6分	床 6分	垃圾筐 4分	洗手间 6分				
T035081	7.0	4.0	5.0	5.0	4.5	3.0	4.0	32.5	30.0	27.5	90.0
T035082	7.0	3.0	4.0	5.0	4.5	3.0	5.0	31.5	30.0	26.5	88.0
T035083	8.0	4.0	6.0	5.0	4.5	4.0	5.0	36.5	30.0	26.5	93.0
T035084	8.0	4.0	4.0	5.0	4.5	3.0	6.0	34.5	30.0	26.5	91.0
T035085	8.0	4.0	6.0	6.0	6.0	4.0	6.0	40.0	30.0	27.5	97.5
T035086	7.0	4.0	5.0	4.0	4.5	3.0	5.0	32.5	30.0	26.5	89.0
T035087	7.0	4.0	5.0	4.0	5.5	3.0	4.0	32.5	30.0	26.5	89.0
T035088	8.0	4.0	4.0	6.0	4.5	4.0	6.0	36.5	30.0	26.5	93.0
T035089	8.0	4.0	6.0	5.0	5.5	3.0	5.0	36.5	30.0	26.5	93.0
T035090	7.0	4.0	4.0	5.0	4.5	3.0	5.0	32.5	30.0	25.5	88.0
T035091	7.0	4.0	4.0	5.0	4.5	3.0	5.0	32.5	30.0	26.5	89.0
T035092	8.0	3.0	5.0	4.0	4.5	3.0	6.0	33.5	30.0	25.5	89.0
T035093	8.0	4.0	5.0	5.0	4.5	3.0	5.0	34.5	30.0	26.5	91.0
T035094	7.0	4.0	5.0	6.0	4.5	4.0	4.0	34.5	30.0	26.5	91.0
T035095	8.0	4.0	5.0	5.0	4.5	4.0	5.0	35.5	30.0	26.5	92.0
T035096	7.0	4.0	5.0	5.0	5.5	3.0	4.0	33.5	30.0	26.5	90.0
T035097	7.0	3.0	4.0	5.0	4.5	3.0	5.0	31.5	30.0	26.5	88.0
T035098	8.0	4.0	6.0	5.0	4.5	4.0	5.0	36.5	30.0	25.5	92.0
T035099	7.0	3.0	6.0	6.0	4.5	2.0	6.0	34.5	30.0	26.5	91.0
T035100	7.0	4.0	6.0	5.0	4.5	4.0	5.0	35.5	30.0	26.5	92.0
T035101	7.0	3.0	5.0	4.0	4.5	3.0	5.0	31.5	30.0	26.5	88.0
T035102	7.0	4.0	5.0	4.0	4.5	3.0	4.0	31.5	30.0	25.5	87.0
T035103	7.0	3.0	5.0	5.0	4.5	4.0	5.0	33.5	30.0	26.5	90.0
T035104	7.0	4.0	5.0	5.0	5.5	3.0	4.0	33.5	30.0	25.5	89.0
T035105	7.0	4.0	5.0	5.0	4.5	3.0	4.0	32.5	30.0	26.5	89.0
T035106	7.0	4.0	5.0	5.0	4.5	3.0	4.0	32.5	30.0	26.5	89.0
T035107	7.0	3.0	5.0	4.0	4.5	2.0	5.0	30.5	30.0	26.5	87.0
T035108	7.0	4.0	5.0	4.0	4.5	3.0	4.0	31.5	30.0	26.5	88.0